


“LV” Low Voltage Power LED Converter

Converters for High Brightness LEDs

- Built-in converter - IP 20 - Insulation class III
- Suitable for supplying 1 - 3W High Brightness LEDs - Connection in series
- Output in steady current: 350mA - 900mA, $\pm 10\%$
- Self-resetting protection against over temperatures, against open circuits and against output short circuits.
- Input voltage: battery - Steady output



| Model | LED | | Output | | Dimensions | | | oz. | Part Number |
|-------|-----|------|--------|--------|--------------------|---|---|---------|--------------|
| | min | max | I max | V max | A | B | C | | |
| LVP | 1 | 3/6* | 350mA | 10-28V | 2.0" x 1.3" x 0.8" | | | 1.8 oz. | QT-LVP00000N |
| LVL | 1 | 3/6* | 500mA | 10-28V | 2.0" x 1.3" x 0.8" | | | 1.8 oz | QT-LVL00000N |
| LVQ | 1 | 3/6* | 700mA | 10-28V | 2.0" x 1.3" x 0.8" | | | 1.8 oz | QT-LVQ00000N |
| LVM | 1 | 3/6* | 900mA | 10-28V | 2.0" x 1.3" x 0.8" | | | 1.8 oz | QT-LVM00000N |

*11V - 15V max 3 Led - 22V - 28V max 6 LED

